## NOTICE OF PUBLIC HEARING FOR

## INCORPORATED COUNTY OF LOS ALAMOS CODE ORDINANCE NO. 02-288 AN ORDINANCE AMENDING CHAPTER 40, ARTICLE III, SECTIONS 40-201 AND 40-202 OF THE CODE OF THE INCORPORATED COUNTY OF LOS ALAMOS PERTAINING TO THE SEWAGE SERVICE RATE SCHEDULE AND DETERMINATION OF CHARGES

Notice is hereby given that the Board of Public Utilities (BPU), Incorporated County of Los Alamos, State of New Mexico, will hold a public hearing on August 15, 2018 at 5:30 p.m. at the Los Alamos Municipal Building at 1000 Central Avenue in Council Chambers. At this open meeting, the BPU will consider and receive public comment on Los Alamos County Code Ordinance No. 02-288. A full copy of the ordinance is available for inspection during regular business hours at the Department of Public Utilities at 1000 Central Avenue, Suite 130. A full copy can also be viewed online at <a href="https://rebrand.ly/dpusewerrate02-288">https://rebrand.ly/dpusewerrate02-288</a>. Interested citizens are encouraged to attend this public hearing.

Jeff Johnson, Board of Public Utilities Chair Published: July 26, 2018

**Section 1.** Section 40-201 of the Los Alamos County Code of Ordinances is amended to read as follows:

## Sec. 40-201. - Sewage service rate schedules.

- (d) Customer charges. Each account shall be billed a customer charge of \$10.27\$11.09 per month per account.
- (e) Fixed charges.
  - (1) To each customer billed under rate service schedule 6-A, <u>\$37.18</u> per month per dwelling unit.
  - (2) To each customer billed under rate service schedule 6-G, <u>\$30.97</u><u>\$33.45</u> per month per dwelling unit.
- (f) Variable rate. The variable rate shall be applicable to customers billed under rate service schedule 6-K. The variable rate shall be \$17.50\$18.90 per 1,000 gallons.

**Section 2.** Section 40-202 of the Los Alamos County Code of Ordinances is amended to read as follows:

## Sec. 40-202. - Determination of charges.

(c) Adjustment factor. An adjustment factor to convert the expected billing volume to the volume expected to be treated shall be added to all volume based billings. This factor shall be <u>16%8%</u>.