



Community Development—Planning

1000 Central Ave, Suite 150 Los Alamos, NM 87544 505.662.8120 planning@lacnm.us

## **DEVELOPMENT APPLICATION**

PROJECT INFORMATION	
Title: NM14-149 Grand Slam-NM4 Overlook	
Project Address: 580 OVERLOOK RD. WHITE ROCK, NM 87	7544 (Overlook Park)
Description:	
Sun State Tower is proposing a new multi-tenant conceal new WCF is needed to provide capacity relief from Veriz	
Check all application types, if applicable:	
Administrative Deviation \$25  Administrative Wireless Telecom \$250  Encroachment Permit \$25  Temporary Use Permit \$25  Comprehensive Plan Adoption & Amendment* \$250  Conditional Use Permit* \$300  County Landmark or Historic District Adoption/Amendment* \$500  Major Development Plan * \$500  Minor Development Plan Amendment* \$500  Minor Development Plan Amendment \$250  Summary Plat \$100 plus \$25 lot; \$10 / acre for non-residential  Sketch Plat, Subdivision* \$250 plus \$175/lot (1-10 lots) \$125/lot (11-30 lots) \$75/lot (30+ lots)  Preliminary Plat, Subdivision* \$250 plus \$175/lot (30+ lots)  Final Plat, Subdivision* \$250 plus \$175/lot (30+ lots)  Final Plat, Subdivision* \$250 plus \$175/lot (30+ lots)  Landscaping Plan \$500  Lighting Plan \$500	Site Plan* \$500 plus \$75 per/Million \$ estimated construction cost  Estimated Construction Cost:  Major Site Plan Amendment* \$500  Minor Site Plan Amendment \$250  Major Zone Map Amendment* \$150  No fee if initiated by County Council or County Manager  Minor Zone Map Amendment* \$150  No fee if initiated by County Council or County Manager  Master Plans* (Major, Minor) \$250  Text Amendment* \$150  No fee if initiated by County Council or County Manager  Variance \$250  No fee if application is a part of a Site Plan review  Administrative Wireless Telecommunication Facility \$250  Discretionary Wireless Telecommunication Facility* \$500  Small Wireless Facility \$250  Major Historic Demolition* \$250  Major Historic Property Alteration Certification* \$250  Minor Historic Property Alteration Certificate \$250
☐ righting righ\$200	
* Application reviews requir	e a pre-application meeting.

PROPERTY & OW	NER INFORMATION				
Property	580 OVERLOOK RD	W	/HITE ROCK	NM	87544
Address:	Address	Ci	ity	State	ZIP
Zoning District:	OS-PP		Lot Size - Acres / S	iq. Ft.: 5.73	
Existing Structure	e(s) Sq. Ft.: 0.00		Lot Coverage: .00	2	
Property Owner(s	s) Name: LOS ALAMOS COUNTY				
Owner(s) Email:	anne.laurent@lacnm.us				
Owner(s) Phone(s	5)#: (505) 662-8400				
Owner's Addr	ess same as Property Address				
Owner(s)	1000 Central Avenue	10	os Alamos	NM	87544
Address:	Address		City	State	ZIP
APPLICANT / OW	/NER'S AGENT INFORMATION				
Applicant is sa	ame as Owner				
Applicant Name:	Pinnacle Consulting (aka Sun State	То	wer) Co-Applicant Ve	rizon Wireless	
Applicant	1426 N Marvin St, Suite 101	Gil	bert	AZ	85233
Address:	Address	Ci	ity	State	ZIP
Applicant Email:	Scott.Hopper@pinnacleco.net				
Applicant Phone(	s)#: (602) 743-9439				
ASSOCIATED APP					
Application Type:	CUP & Variance (Height)				
Case Number:	ГВD				
	d affirm, under penalty of perjury, st of my knowledge, information, a		•	•	oplication is true and
Signature:	Scott Hopper		Date: 01/29/25		
STAFF USE ONLY	- V.V.				
Date Received:			Staff:		
Case No.#:			Meeting Date:		
SUBMITTALS					
	rship or rization from Owner ociated Application Checklist			cation – Date: pted upon verification te:	 of a complete




## Community Development-Planning

1000 Central Ave, Suite 150 Los Alamos, NM 87544 505.662.8120 planning@lacnm.us

## DISCRETIONARY WIRELESS TELECOMMUNICATION CHECKLIST

Applicants for all development application reviews must complete this checklist and submit it with the Development Application. Refer to the referenced code sections for additional information. Contact the Planning Division with questions regarding these requirements: <a href="mailto:planning@lacnm.us">planning@lacnm.us</a>.

## **PRE-APPLICATION MEETING** Date Held: 07/08/2024 **SITE PLAN** Site Plat at a minimum scale of 1" = 100' that illustrates the following: Graphic Scale and North Arrow Property Lines according to recorded survey Existing and proposed structures Existing and proposed easements Existing and proposed setbacks Existing and proposed utility lines Means of access Landscaping, if the facility is freestanding Proposed lighting **ELEVATIONS** Elevation drawing(s) at a minimum scale of 1/8" = 1' that indicates: Height (above existing grade) of all four sides. Materials and colors Proposed lighting **LOT COVERAGE** Existing (%): Proposed (%): 2.00 **ADDITIONAL SUBMITTALS** Based on staff's review and Interdepartmental Review Committee's recommendation – additional submittals may be required and will be communicated to the applicant by the assigned Case Manager.



See Reverse.

Revision-Jan2023 Code Reference: 16-74 (c)

DECISION CRITERIA 16-74-(c)(3)
a. The proposed telecommunications facilities are necessary to close a demonstrated significant gap in service coverage of the applicant based on actual signal strength data for the area where the gap is claimed and for the type of gap claimed. Explain.
Please see attached
Staff finds that this criterion has been met
Staff finds that this criterion has not been met – more information is needed
b. The applicant has demonstrated that no other less intrusive means or alternative to the proposed telecommunications facilities design is practicable. Explain.
Please see attached
Staff finds that this criterion has been met
Staff finds that this criterion has not been met – more information is needed
c. The applicant has demonstrated that no higher priority location per Sec. 16-1-(j)(2) is practicable. Explain.
Please see attached
Staff finds that this criterion has been met
Staff finds that this criterion has not been met – more information is needed

Attach additional sheets, if needed.

Revision-Jan2023 Code Reference: 16-74 (c)



Community Development—Planning

1000 Central Ave, Suite 150 Los Alamos, NM 87544 505.662.8120 planning@lacnm.us

Case No.	

## **OWNER AFFIDAVIT**

(Authorizing an agent to act on behalf of a property owner when making a land development application.)

STATE OF NEW MEXICO )	
COUNTY OF LOS ALAMOS )	
Say that (I am) (we are) the owner(s) of property located 580 OVERLOOK RD. WHITE ROCK, NM 87544 (OTTRACT N, WHITE ROCK SUBDIVISION, AS SHOW SEPTEMBER 3, 1965 IN BOOK 1, PAGE 62, AND A RECORDED ON AUGUST 30, 1966 IN BOOK 7, PAGE COUNTY, NEW MEXICO, for which (I am) (we are) to Telecommunication Facility (conditional use permits; so variance; zone change; subdivision; summary plat; temphistoric property; or development plans) through the Country of the conditional matters pertaining to this application. Signed:  Anne Laurent Address: 1000 Central Ave. Ste.350	verlook Park), legally described as: VN ON PLAT RECORDED FFIDAVIT OF CORRECTION GE 141, RECORDS OF LOS ALAMOS requesting a: ketch, preliminary and final plats; site plan; porary use permit; telecommunication facility; county of Los Alamos, New Mexico.
Los Alamos, NM 87544 Telephone: 505-603-1750	Telephone:
Subscribed and sworn to before me this  ab day of Ausst, 20 24.  Notary Public  My Commi	STATE OF NEW MEXICO NOTARY PUBLIC Jacqueline D. Salazar Commission Number 1102101 My Commission Expires May 24, 2025  Ssion Expires: May 24, 2025

a. The proposed telecommunications facilities are necessary to close a demonstrated significant gap in service coverage of the applicant based on actual signal strength data for the area where the gap is claimed and for the type of gap claimed. Explain.


The proposed 80' concealed WCF is needed to provide capacity relief from Verizon's existing WCF in the White Rock area, due to users in this area are demanding higher data rates for services. Verizon's measurements show a low throughput per user and the existing Verizon neighboring WCF are alarming/alerting that they are running out of capacity.

Verizon's RF engineers identified a specific geographic area, "search ring", where a new WCF is needed to provide effective capacity service (Overlook Park). RF engineer (Steven Kennedy) performed an RF Design Analysis, to provide the planning department with propagation maps and data showing the need for the WCF.


Page 13 of the RF Design Analysis and the 1st snippet below "Current" shows the existing WCF service (capacity) area in RED. Page 14 of the RF Design Analysis or 2<sup>nd</sup> snippet below "New", has less red, since the new WCF (shown in blue/green/brown) will provide new service/capacity in that area.

Since this is a capacity need, locating more antennas on the existing WCF 1.93 miles to the West that Verizon is already on will not resolve the capacity/coverage issues for the residents near Overlook Park and community events at Overlook Park.

## **Best Server - Current (-120dbm)**




# Best Server – with new site (-120dbm)



b. The applicant has demonstrated that no other less intrusive means or alternative to the proposed telecommunications facilities design is practicable. Explain.

A search was performed using antennaSearch.com, which lists (3) existing towers, but was only able to confirm (2) visually during a site visit on 07/07/2024. 190' Non-concealed SBA Tower (this is the location Verizon has an existing WCF that is running out of capacity) the other 360 Degrees Non-concealed 65' Tower, is too close to Verizon's existing WCF to meet Verizon Capacity objectives. The distance between Verizon's existing WCF and the proposed Sun State proposed concealed WCF is approximately two (2) miles (Please see snippets below).



Sun State / Verizon considered the existing 80' light poles owned by Los Almos County at Overlook Park, but due to interference / shadowing issues that can be caused by the antennas, the separation requirements would be approximately 20' or more below the bottom of the light fixtures, therefore, would not meet Verizon height requirement (76') for Capacity / coverage objective and would limit Sun State's ability to add additional carriers. (Please see Alternative Site & Height Analysis)

The Proposed concealed 80' WCF (Antennas will be housed in a stealth canister shroud), meets and or exceeds all setback requirements, is approximately 1,000 feet from existing residential properties (Please refer to Photo Sims)

c. The applicant has demonstrated that no higher priority location per Sec. 16-1-(j)(2) is practicable. Explain.

Higher priority locations; The locations zoned WRTC & GC are too close to Verizon's existing WCF to meet Verizon Capacity objectives. (Please see snippets below)





# PROJECT NARRATIVE Conditional Use Permit (CUP) and Height Variance for Wireless Telecommunication Facility (WCF)

**Applicant:** Pinnacle Consulting (aka Sun State Towers)

Applicant site Name: NM14-149 Grand Slam

Co-applicant: Verizon Wireless


Co-applicant site name: NM4 Overlook WCF

**Property-Owner:** Los Alamos County

Project address: 580 Overlook Road White Rock, NM 87544 (Overlook Park)

**APN**: 104-01-0825-1495

Zoning Classification: OS-PP



## **Purpose of Application:**

Sun State Towers develops, owns and maintains Wireless Communication Facilities (WCF) throughout the southwest with a focus on providing multi-tenant WCF for collocation by all Cell Phone Providers.

Applicant Pinnacle Consulting (aka Sun State Towers) agrees to shared use of the proposed WCF by any additional providers.


The proposed WCF is needed to provide capacity relief from Verizon's existing WCF in the White Rock Community, due to users in this area are demanding higher data rates for services. Verizon's measurements show a low throughput per user and the existing Verizon neighboring WCF are alarming/alerting that they are running out of capacity.


Verizon's RF engineers identified a specific geographic area, "search ring", where a new WCF is needed to provide effective capacity service (Overlook Park). RF engineer (Steven Kennedy) performed an RF Design Analysis, to provide the planning department with propagation maps and data showing the need for the WCF.

Page 13 of the RF Design Analysis and the 1st snippet below "Current" shows the existing WCF service (capacity) area in RED. Page 14 of the RF Design Analysis or 2<sup>nd</sup> snippet below "New", has less red, since the new WCF (shown as blue/green/brown) will provide new service/capacity in that area.

Since this is a capacity need, locating more antennas on the existing WCF to the West that Verizon is already on, will not resolve the capacity/coverage issues for the residents near Overlook Park and community events at Overlook Park.


## Best Server - Current (-120dbm)






## Higher priority locations, per Los Alamos Code Sec. 16-17(j)(2):

A search was performed using antennaSearch.com, which lists (3) existing towers, but was only able to confirm (2) visually during a site visit on 07/07/2024. 190' Non-concealed SBA Tower (this is the location Verizon has an existing WCF that is running out of capacity) the other 360 Degrees Non-concealed 65' Tower, is too close to Verizon's existing WCF to meet Verizon Capacity objectives. The distance between Verizon's existing WCF and the proposed Sun State concealed WCF is approximately two (2) miles (Please see snippet below).



Sun State / Verizon considered the existing 80' light poles owned by Los Almos County at Overlook Park, but due to interference / shadowing issues that can be caused by the antennas, the separation requirements would be approximately 20' or more below the bottom of the light fixtures, therefore, would not meet Verizon height requirement (76') for Capacity / coverage objective and would limit Sun State's ability to add additional carriers. (Please see Alternative Site & Height Analysis)

The locations zoned WRTC & GC are too close to Verizon's existing WCF to meet Verizon Capacity objectives. (Please see snippets below)



As a capacity objective site, denial of this request would continue the reliance on existing facilities. As technology and usage increases, as is the trend, Emergency services and customers utilizing Verizon Wireless will experience slower connections and more dropped calls as more devices are connecting to the limited number of existing facilities.

Solid voice communications are an important necessity related to everyday public safety and are especially critical in the event of emergencies or unplanned events. Voice communication requires robust data capacity to ensure reliability. Additionally, with the proliferation of Smartphones – apps, photography and video streaming demand a persistent connection to the network, as the phones connect to the "Cloud" and do not release from it, even when not in use. This creates an unprecedented demand on the capacity of the network, particularly at large scale events where users are congregated in one place (4th of July at Overlook Park etc.) and utilizing these streaming features non-stop. This proposed WCF will help to maintain an adequate level of network capacity.

## Height, per Los Alamos Code Sec. 16-17 (j)(4):

OS-PP allows 35' building Height max + 15' = 50'. The height limit is insufficient for reasonable collocation for Verizon and or future carriers to resolve the capacity/coverage objectives in this area. A height Variance application will be submitted, requesting a height increase to 80' that matches several existing Ballfield light poles near the WCF. (Please refer to Alternative Site & Height Analysis)

## Best technologically feasible site:

Proposed location has existing commercial power and telco/fiber connection available on property with existing paved access from public ROW to proposed WCF. The WCF is unmanned and will not require sewer or water services.

The proposed WCF will not generate significant trips once construction is complete, as tech maintenance will only occur about once a month to the site, usually during normal business hours. No additional parking spaces will be required.

## **Least Intrusive Design:**

The proposed WCF will be located on a large property (Overlook Park) The nearest residential homes are approximately 1,000 feet to the west. The Proposed concealed 80' WCF (Antennas will be housed in a stealth canister shroud). Overlook Park has several existing 80' tall Ballfield light poles that area residents are accustomed to and will have minimal effect on surrounding views. The site will be unmanned, and will have no impacts to pedestrian or vehicular transit, and the facility will not emit odor, dust, gas, noise, vibration, smoke, heat or glare. After construction, a site Tech will visit the site approximately once a month. (Please refer to Zoning Drawings for tower and ground equipment size & details)

**Federal Law**, primarily found in the Telecommunications Act of 1996 ("Telecom Act"), acknowledges a local jurisdiction's zoning authority over proposed wireless facilities but limits the exercise of that authority in several important ways.

**Local jurisdictions**, may not materially limit or inhibit. The Telecom Act prohibits a local jurisdiction from taking any action on a wireless siting permit that "prohibit[s] or [has] the effect of prohibiting the provision of personal wireless services." 47 U.S.C. § 332(c)(7)(B)(i)(II). According to the Federal Communications Commission ("FCC") Order adopted in September 2018.

"A state or local legal requirement will have the effect of prohibiting wireless telecommunications services if it materially inhibits the provision of such services...[A]n effective prohibition occurs where a state or local legal requirement materially inhibits a provider's ability to engage in any of a variety of activities related to its provision of a covered service. This test is met not only when filling a coverage gap but also when densifying a wireless network, introducing new services or otherwise improving service capabilities. Under the California Payphone standard, a state or local legal requirement could materially inhibit service in numerous ways—not only by rendering a service provider unable to provide an existing service in a new geographic area or by restricting the entry of a new provider in providing service in a particular area, but also by materially inhibiting the introduction of new services or the improvement of existing services. Thus, an effective prohibition includes materially inhibiting additional services or improving existing services."2

Under the FCC Order, an applicant need not prove it has a significant gap in coverage; it may demonstrate the need for a new wireless facility in terms of adding capacity, updating to new technologies, and/or maintaining high quality service.3

The proposed WCF is necessary for Verizon to provide additional capacity/ coverage needed to provide the evolution in the wireless services demanded by customers, including emergency services and quality in-building coverage. Although an applicant is no longer required to show a significant gap in service coverage under the FCC Order, in the Ninth Circuit, a local jurisdiction clearly violates section 332(c)(7)(B)(i)(II) when it prevents a wireless carrier from using the least intrusive means to fill a significant gap in service coverage. T-Mobile U.S.A., Inc. v. City of Anacortes, 572 F.3d 987, 988 (9th Cir. 2009).

**Significant Gap.** Reliable in-building coverage is now a necessity and every community's expectation. Consistent with the abandonment of land line telephones and reliance on only wireless communications, federal courts now recognize that a "significant gap" can exist based on inadequate in-building coverage. See, e.g., T-Mobile Central, LLC v. Unified Government of Wyandotte County/Kansas City, 528 F. Supp. 2d 1128, 1168-69 (D.Kan. 2007), affirmed in part, 546 F.3d 1299 (10th Cir. 2008); MetroPCS, Inc. v. City and County of San Francisco, 2006 WL 1699580, \*10-11 (N.D. Cal. 2006).

• Least Intrusive Means. The least intrusive means standard "requires that the provider 'show that the manner in which it proposes to fill the significant gap in service is the least intrusive on the values that the denial sought to serve." 572 F.3d at 995, quoting MetroPCS, Inc. v. City of San Francisco, 400 F.3d 715, 734 (9th Cir. 2005). These values are reflected by the local code's preferences and siting requirements.

Here, the proposed WCF has been designed as an 80' concealed monopole (Canister) in order to screen the antennas from public view.

**Environmental and health effects prohibited from consideration.** The Telecom Act also prohibits a jurisdiction from considering the environmental effects of RF emissions (including health effects) of the proposed site if the site will operate in compliance with federal regulations. 47 U.S.C. § 332(c)(7)(B)(iv). the proposed WCF will operate in accordance with the Federal Communications Commission's RF emissions regulations. Considering public comments or denying CUP approval based upon this issue would be preempted under federal law.

## **Closing:**

Citizens will not be unduly affected by this WCF, and will benefit by the improved dependability, coverage, and high-quality wireless communications for personal, business and emergency uses. Sun State Towers is committed to developing the best WCF for this area while working cooperatively with Los Alamos County.

Thanks for all your help!!!
Scott Hopper-Site Acquisition

PINNACLE 1426 N Marvin St, Suite 101 Gilbert, AZ 85233

E: Scott.Hopper@pinnacleco.net

M: 602-743-9439



## SUN STATE

## NM14-149 GRAND SLAM / NM4 OVERLOOK

APN: 104-01-0825-1495

580 OVERLOOK RD.

## LOS ALAMOS, NM 87544 LOS ALAMOS COUNTY

VICINITY MAP

DEPART ALBUQUERQUE INTERNATIONAL AIRPORT, HEAD SOUTH ON YALE BLVD SE, SLIGHT LEFT TO STAY ON YALE BLVD SE, MERGE ONTO SUNPORT BLVD. SLIGHT RIGHT TO STAY ON SUNPORT BLVD. KEEP LEF TO STAY ON SUNPORT BLVD. USE THE LEFT LANE TO MERGE ONTO SUNPORT LOOP SE, KEEP LEFT TO CONTINUE ON SUNPORT BLVD, USE THE RIGHT 2 LANES TO MERGE ONTO I-25 N VIA THE RAMP TO I-40. N/DOWNTOWN/SANTA FE. MERGE ONTO I-25 N. TAKE EXIT 276 FOR NM-599 S TOWARD MADRID. USE THE LEFT 2 LANES TO TURN LEFT ONTO NM-599 N. TAKE THE US-84 N/US-285 EXIT ON THE LEFT TOWARD ESPAÑOLA. MERGE ONTO US-285 N/US-84 W. TAKE THE NM-502 W/LOS ALAMOS EXIT. MERGE ONTO LOS ALAMOS HWY. CONTINUE ONTO NM-502. USE THE RIGHT 2 LANES TO TAKE THE NM-4 RAMP TO WHITE ROCK/BANDELIER NATL MON. CONTINUE ONTO NM-4 W. TURN LEFT ONTO ROVER BLVD. TURN LEFT ONTO MEADOW LN. TURN LEFT ONTO OVERLOOK RD. DESTINATION WILL BE ON THE LEFT.

OVERLOOK RD.

### ROJECT DESCRIPTION

### SCOPE OF WORK

- INSTALL PROPOSED 80'-0" SUN STATE TOWERS GALVANIZED STEEL MONOPOLE
- INSTALL PROPOSED 20'-0"X30'-0" SPLIT FACE CMU WALL W/ SLOPPED SECURITY TOPPER
- INSTALL PROPOSED 4'-0"X12'-0" CONCRETE PAD
- INSTALL PROPOSED BATTERY CABINET
- INSTALL PROPOSED RF CABINET INSTALL PROPOSED GPS ANTENNA
- INSTALL (9) PROPOSED 4"Ø UNDERGROUND CONDUITS
- INSTALL PROPOSED ELECTRICAL SERVICE
- INSTALL PROPOSED TELCO SERVICE
- INSTALL PROPOSED ANTENNA FRAME INSTALL [9] PROPOSED ANTENNAS
- INSTALL [9] PROPOSED REMOTE RADIO HEADS
- INSTALL [1] PROPOSED 12-PORT OVP
- INSTALL [2] PROPOSED HYBRIFLEX CABLES

VERIZON WIRELESS 6955 W MORELOS PL CHANDLER, AZ 85226

- OVERALL SITE PLAN Z-1
- Z-4 PROPOSED SITE PLAN
- Z-5 ENLARGED SITE PLAN AND ANTENNA PLAN
- Z-7 ELEVATIONS

### SHEET INDEX

- PROJECT INFORMATION
- Z-2 OVERALL SETBACK PLAN
- Z-3 EXISTING SITE PLAN
- Z-6
- ELEVATIONS
- COMPOUND ENCLOSURE DETAIL

PROPERTY OWNER: LOS ALAMOS COUNTY 1000 CENTRAL AVE. LOS ALAMOS. NM 87544 PHONE: [505] 662-8333

CLIENT / TOWER OWNER:

1426 N. MARVIN STREET #101

SUN STATE TOWERS

CONTACT: CHAD WARD

PHONE: [480] 664-9588

GII BERT A7 85233

### CARRIER:

CONTACT: JEFF DEWALT PHONE: [505] 332-6007

### SITE ACQUISITION:

PINNACLE CONSULTING, INC. 1426 N. MARVIN STREET #101 GILBERT, AZ 85233 CONTACT: MICHELLE JOHNSON PHONE: (480) 664-9588 ext. 230

## **ENGINEERING FIRM:**

PINNACLE CONSULTING, INC. 1426 N. MARVIN STREET #101 GILBERT, AZ 85233 ENGINEER: KYLE FORTIN, PE PHONE: [623] 217-4235

PARCEL #:

104-01-0825-1495 USE: UNMANNED COMMUNICATIONS

**NEW LEASE AREA:** 2200 SQ. FT

JURISDICTION: LOS ALAMOS COUNTY

GOVERNING CODES: 2021 IBC, 2021 NMBC, 2015 NFPA 1

2020 NMEC

ALL BUILDING CODES LISTED ABOVE SHALL INCLUDE AMENDMENTS BY THE GOVERNING JURISDICTION

### **GENERAL NOTES**

- THIS WIRELESS TELECOMMUNICATIONS FACILITY WILL MEET THE HEALTH AND SAFETY STANDARDS FOR ELECTROMAGNETIC FIELD EMISSIONS AS ESTABLISHED BY THE FEDERAL COMMUNICATIONS COMMISSION OR ANY SUCCESSOR THEREOF, AND ANY OTHER FEDERAL OR STATE AGENCY.
- 2. THIS WIRELESS TELECOMMUNICATIONS FACILITY WILL MEET THE REGULATIONS OF THE FEDERAL COMMUNICATIONS COMMISSION REGARDING PHYSICAL AND ELECTROMAGNETIC INTERFERENCE.
- 3. LIGHTING OR SIGNS WILL BE PROVIDED ONLY AS REQUIRED BY FEDERAL OR STATE AGENCIES
- 4 DEVELOPMENT AND CONSTRUCTION OF THIS PROJECT WILL COMPLY WITH ALL APPLICABLE CODES AND ORDINANCES.
- 5. EXISTING PARKING IS NOT AFFECTED BY THIS PROJECT.
- 6. THIS PROJECT DOES NOT INCLUDE WATER OR SEWER.
- 7. THIS PROJECT INCLUDES C-BAND INSTALLATION
- 8. NO ABANDONMENT OF A SMALL WIRELESS FACILITY SHALL BE PERMITTED. ALL SMALL WIRELESS FACILITIES NOT IN SERVICE SHALL BE PHYSICALLY MAINTAINED AS IF IN SERVICE FOR THE PROTECTION AND SAFETY OF THE PUBLIC.

### COORDINATES

### **TOWER COORDINATES:**

TOWER LATITUDE 35.826752° 35° 49' 36.31" N [NAD83] TOWER LONGITUDE -106.188301° -106° 11' 17.89" W [NAD83] TOWER GROUND ELEVATION

## FIBER MMP (MEET ME POINT) COORDINATES:

MMP LATITUDE 35.826074° 35° 49' 33.87" N [NAD83] MMP LONGITUDE -106.188313° -106° 11' 17.93" W [NAD83]

## DATE: DATE: DATE:

APPROVALS

LANDLORD: DATE:

## PREPARED FOR 1426 NORTH MARVIN STREET #101

GII BERT AZ 85233


2600 W. GERONIMO PL., CHANDLER, AZ 85224 PHONE: (480) 777-4360 FAX: (480) 777-4391

A&E CONSULTING FIRM & SITE ACQUISITION PINNACLE

Site Acquisition | Engineering | Construction

PROJECT NO NM14-149 GRAND SLAN DRAWN BY: CHECKED BY:

ı	REV	DATE	DESCRIPTION	BY
ı	4	02/18/25	FINAL ZONING	cs
L	5	03/12/25	FINAL ZONING	cs
L				
П				
П				
П				
П				
ı				
I				





NM14-149 GRAND SLAM NM4 OVERLOOK

> 580 OVERLOOK RD LOS ALAMOS, NM 87544 LOS ALAMOS COUNTY

> > SHEET TITLE

PROJECT INFORMATION





PREPARED FOR **SUN STATE** TOWERS
1426 NORTH MARVIN STREET #101

GILBERT, AZ 85233 PHONE: 480-664-9588 - FAX 480-664-9850


2600 W. GERONIMO PL., CHANDLER, AZ 85224 PHONE: (480) 777-4360 FAX: (480) 777-4391



1426 NORTH MARVIN STREET # 101 GILBERT, AZ 85233

PROJECT NO:	NM14-149 GRAND SLAM
DRAWN BY:	cs
CHECKED BY:	KF

REV	DATE	DESCRIPTION	BY
4	02/18/25	FINAL ZONING	CS
5	03/12/25	FINAL ZONING	CS




### NM14-149 GRAND SLAM NM4 OVERLOOK

580 OVERLOOK RD. LOS ALAMOS, NM 87544 LOS ALAMOS COUNTY

SHEET TITLE

**OVERALL SETBACK PLAN** 


**Z-2** 









NM14-149 GRAND SLAN







2600 W. GERONIMO PL., CHANDLER, AZ 85224

PINNACLE


NM14-149 GRAND SLA

REV	DATE	DESCRIPTION	BY
4	02/18/25	FINAL ZONING	CS
5	03/12/25	FINAL ZONING	CS



NM14-149 GRAND SLAM NM4 OVERLOOK

AND ANTENNA PLAN





GILBERT, AZ 85233 PHONE: 480-664-9588 - FAX 480-664-9850

erizon


2600 W. GERONIMO PL., CHANDLER, AZ 85224 PHONE: (480) 777-4360 FAX: (480) 777-4391

PINNACLE Site Acquisition | Engineering | Construction

1426 NORTH MARVIN STREET # 101 GILBERT, AZ 85233

PROJECT NO NM14-149 GRAND SLA CHECKED BY:

REV	DATE	DESCRIPTION	BY
4	02/18/25	FINAL ZONING	CS
5	03/12/25	FINAL ZONING	CS




NM14-149 GRAND SLAM / NM4 OVERLOOK

> 580 OVERLOOK RD LOS ALAMOS, NM 87544 LOS ALAMOS COUNTY

> > SHEET TITLE

**ELEVATIONS** 





GILBERT, AZ 85233 PHONE: 480-664-9588 - FAX 480-664-9850

verizon

2600 W. GERONIMO PL., CHANDLER, AZ 85224 PHONE: (480) 777-4360 FAX: (480) 777-4391


A&E CONSULTING FIRM & SITE ACQUISITION



1426 NORTH MARVIN STREET #

PROJECT NO: NM14-149 GRAND SLAM
DRAWN BY: CS

REV	DATE	DESCRIPTION	BY
4	02/18/25	FINAL ZONING	CS
5	03/12/25	FINAL ZONING	cs




NM14-149 GRAND SLAM / NM4 OVERLOOK

> 580 OVERLOOK RD. LOS ALAMOS, NM 87544 LOS ALAMOS COUNTY

> > SHEET TITLE

**ELEVATIONS** 

**Z-7** 





GILBERT, AZ 85233 PHONE: 480-664-9588 - FAX 480-664-9850

2600 W. GERONIMO PL., CHANDLER, AZ 85224 PHONE: (480) 777-4360 FAX: (480) 777-4391


A&E CONSULTING FIRM & SITE ACQUISITION



1426 NORTH MARVIN STREET # 101 GILBERT, AZ 85233

PROJECT NO: NM14-149 GRAND SLAN DRAWN BY:

REV	DATE	DESCRIPTION	BY
4	02/18/25	FINAL ZONING	cs
5	03/12/25	FINAL ZONING	cs



### NM14-149 GRAND SLAM/ NM4 OVERLOOK

580 OVERLOOK RD. LOS ALAMOS, NM 87544 LOS ALAMOS COUNTY

SHEET TITLE

**ELEVATIONS** 

### MASONRY NOTES:

### MASONRY WALL GENERAL NOTES

2021 NEW MEXICO COMMERCIAL BUILDING CODE

104 MPH ULTIMATE DESIGN WIND SPEED (RISK CATEGORY II) EXPOSURE C

### SEISMIC:

RISK CATEGORY II SITE CLASS: C SEISMIC DESIGN CATEGORY C Ss = 0.495S1 = 0.161

### GEOTECHNICAL

FOUNDATION DESIGN IN ACCORDANCE WITH RECOMMENDATIONS PROVIDED IN GEOTECHNICAL REPORT NO.: 2022130.36

BY GDP GROUP

DATED JANUARY 24, 2023

ALLOWABLE BEARING PRESSURE = 3000PSF

AT 2'-6" BELOW LOWEST ADJACENT FINISHED GRADE. REFER TO SOILS REPORT FOR ADDITIONAL INFORMATION.

### CONCRETE:

CONSTRUCTION SHALL BE IN ACCORDANCE WITH ACI 318. CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 2500 PSI AT 28 DAYS. VIBRATE REINFORCED CONCRETE DURING PLACEMENT.

DEFORMED REINFORCING BARS SHALL CONFORM TO ASTM A615, GRADE 60. ALI REINFORCING SHALL BE SECURELY TIED TO PREVENT MOVEMENT WHILE PLACING CONCRETE. WELDING OF REINFORCING IS NOT ALLOWED. LAP REINFORCING 48 BAR DIAMETERS (30" FOR #5, 24" FOR #4). BEND REINFORCING OR PROVIDE CORNER BARS WHERE FOOTING CHANGES DIRECTION.

MINIMUM CONCRETE COVER FOR REINFORCING STEEL CAST IN CONCRETE (UNO): CAST AGAINST EARTH:

PERMANENTLY EXPOSED TO EARTH OR WEATHER: 1 1/2" (#5 AND SMALLER) 2" (#6 AND LARGER)

### MASONRY:

CONCRETE MASONRY UNITS (CMU) SHALL CONFORM TO ASTM C90, LOAD BEARING WITH A MINIMUM COMPRESSIVE STRENGTH OF 1900 PSI (NET AREA).

MORTAR SHALL CONFORM TO ASTM C-270, TYPE S.

FILL ALL REINFORCED CELLS WITH 2000 PSI GROUT OR GROUT CONFORMING TO ASTM C476. MAXIMUM GROUT POUR IS 5'-4" WITHOUT CLEANOUTS. MECHANICALLY CONSOLIDATE GROUT AFTER PLACEMENT AND RECONSOLIDATE AFTER APPROXIMATELY 5 MINUTES. SOLID GROUT ALL CELLS BELOW FINISHED

PROVIDE MASONRY CONTROL JOINTS AT 24' O.C. MAXIMUM WITH A MINIMUM WALL SEGMENT LENGTH OF 8'.

DEFORMED BAR REINFORCING SHALL CONFORM TO ASTM A615, GRADE 60. LAP 48 BAR DIAMETERS (30" FOR #5, 24" FOR #4).

VERTICAL REINFORCING SHALL BE #5, CENTERED IN CELL AT SPACING NOTED ON DRAWING OR AT 48" O.C. MINIMUM. PROVIDE VERTICAL BARS AT ALL WALL ENDS CORNERS, INTERSECTIONS AND EACH SIDE OF CONTROL JOINTS. ALL VERTICAL BARS SHALL BE DOWELED INTO CONCRETE FOOTING WITH A MINIMUM 30"

HORIZONTALLY REINFORCE WALLS WITH (1) #5 IN 8" DEEP SOLID GROUTED BOND BEAM AT TOP OF WALL. PROVIDE BENT CORNER BARS TO MATCH BOND BEAM REINFORCING AT ALL CORNERS. PROVIDE 9 GAUGE (W1.7) GALVANIZED LADDER TYPE HORIZONTAL JOINT REINFORCING CONFORMING TO ASTM A951 AT 16" O.C. VERTICALLY MAXIMUM.


### SPECIAL INSPECTIONS:

SPECIAL INSPECTIONS REQUIRED PER IBC CHAPTER 17 FOR THE FOLLOWING ITEMS CONCRETE:

> • PERIODIC INSPECTION TO VERIFY FOUNDATION SIZE AND REINFORCING SIZE & PLACEMENT

### MASONRY

- PERIODIC INSPECTION TO VERIFY CMU CONSTRUCTION AND REINFORCING SIZE & PLACEMENT
- CONTINUOUS INSPECTION DURING PLACEMENT OF GROUT






GII BERT AZ 85233 PHONE: 480-664-9588 - FAX 480-664-9850

2600 W. GERONIMO PL., CHANDLER, AZ 85224 PHONE: (480) 777-4360 FAX: (480) 777-4391

A&F CONSULTING FIRM & SITE ACQUISITION PINNACLE Site Acquisition | Engineering | Construction

PROJECT NO NM14-149 GRAND SLA DRAWN BY: CHECKED BY

REV	DATE	DESCRIPTION	BY
4	02/18/25	FINAL ZONING	cs
5	03/12/25	FINAL ZONING	cs



### NM14-149 GRAND SLAM NM4 OVERLOOK

580 OVERLOOK RD LOS ALAMOS, NM 87544 LOS ALAMOS COUNTY

SHEET TITLE

COMPOUND ENCLOSURE **DETAIL** 


**Z-9** 

SIGN DETAIL

2

COMPOUND ENCLOSEURE DETAIL

## WIRELESS NETWORK CONSULTING



## **Coverage vs Capacity**

- **Capacity is providing bandwidth or processing capacity to service the customers in the area.** 
  - Areas where large numbers of users are in a specific geographic areas
  - Areas where users are demanding higher data rates for services
  - Areas with a large amount of indoor users
- \* Coverage is Providing Service where service does not exist, calls drop, or "no service".
  - Areas where sites are farther apart
  - Areas where terrain or buildings block signals
  - Areas where indoor service is low or nonexistent

## **Objective of new site**

## \* Capacity

- Provide additional bandwidth for customers in the area surrounding the proposed site
- Provide better throughput for indoor users in the area
- Offload surrounding sites that are over capacity that cover Hwy 4 and White Rock Area

## \* Coverage

- Provide service in surrounding residential and commercial areas
- Provide service on Hwy 4 and feeder roads
- Provide indoor service for the population surrounding the proposed site

## **Why is this site important?**

- 96% of Americans own a Cellular Phone
- 57% of American Homes rely exclusively on cellular phones
- 84% or more of 9-1-1 emergency calls are made from wireless devices

## **Proposed Site**

- † 80' Monopole Tower
  - 580 Overlook Road White Rock, NM 87544
    - Latitude: 35.826074 N (NAD83)
    - Longitude: --106.188313 W (NAD83)
    - Ground Elevation:6292.8' (NAVD88)
  - Anchor tenant is Verizon
    - Antenna Centerline at 76' AGL


## Why here?

- \* Existing sites are overloaded with capacity (low throughput per user). A Cell Split is needed to increase the capacity in the area the proposed will offload existing Verizon sites that provide service
- Since this is a capacity need locating more antennas on the existing site 1.93 miles to the West that Verizon is already located on will not resolve the capacity issues in the area
- † A new site is needed to resolve the issues hence the proposed site.
- † Provide Indoor service to area around proposed
- Mobiles are reporting low quality connections for multiple carriers around the proposed

## **Zoom – proposed site**



## **Verizon Sites**



## Verizon CellMapper



Poor Service Quality Proposed Site

The area in the red circle is what the proposed site impacts.

This map is showing good coverage on the Southern area of Hwy 4

Ookla Verizon 4G RSRP data


Indoor >= -85 dbm
In-Vehicle >= -95 dbm
On-Street >= -106 dbm



The red circle show the areas where the carriers are providing in vehicle and on street coverage, but indoor service is limited

This area is lacking in indoor and some in-vehicle service where the proposed is located

# **Open Signal Verizon Quality Map**



This map show mobiles reporting quality of their connections to the network. This is crowdsource data from Verizon users made available by the OpenSignal App:


https://www.opensignal.com/apps#section-osapp

Green data points show good coverage and red data points show bad coverage and lack of data points show no coverage




## Verizon RSRP Current Coverage






# Verizon RSRP Proposed Coverage






## **Best Server - Current (-120dbm)**



# Best Server – with new site (-120dbm)




### **Ionizing vs Non-Ionizing**

- † There are two (2) types of Energy/Radio Waves
  - Ionizing
    - These are waves that can effect human DNA
    - Examples are:
      - Gamma rays
      - X-Rays
    - This is one of the reasons the nurse steps out of the room and you wear a lead overcoat when you get X-Rays at the dentist.
  - Non- Ionizing
    - These are waves do not effect human DNA
    - Examples are:
      - Car Radios
      - Television
      - Wi-Fi Access points and routers
      - Bluetooth headsets
      - Cellphones and Smartphones
      - Lightbulbs
      - Wireless Baby Monitors
      - TV remotes
  - Absorption of waves is proximity based, the closer you are to the antenna the more non-ionizing energy is absorbed. You will absorb 50% of the FCC's General Public limit with your smartphone next to your ear versus less than 10% of the FCC's General Public limit from the antennas when you are standing 20' away from the proposed tower.
  - The further you walk away from the tower it decreases even more.

### **General Public & Occupational limits**

- † The FCC isolated two (2) groups relative to access around wireless antennas
- The first group is called Occupational
  - This refers to areas where workers would be allowed (general public cannot access) but the workers would not have knowledge about antennas (An example would be an Air Conditioner Repair Technician). Barriers or signage may be needed to alert the worker when close to the antennas.
    - Examples are:
      - Rooftop access behind a locked door
      - Compound access behind a locked gate
  - The FCC determined the safe value and then lowered by a factor of 10 and that is the value the wireless carriers use in the studies
  - The exposure levels are averaged over 6 minutes
- \* The second group is called General Public
  - Uncontrolled access (General Public)
    - This group is for areas with general public access, the public would not have a knowledge of an antenna being close to them
    - Examples are:
      - Sidewalks
      - Parks
      - Public accessed buildings
  - The FCC determined the safe value and then lowered by a factor of 50 and that is the value the wireless carriers use in the studies
  - The exposure levels are averaged over 30 minutes
- \* Compare the value for a tower which is 10mW to the power of a smartphone which is 200mW of power.

#### Power Levels below a tower




Main beam of the antenna

- Power levels on the ground around the tower are much less than what is at the antennas
- Power on the ground adjacent to the tower is 1/1000 of the power compared to what is at the antenna

1/1000 of the power on the ground around the site

## **AT&T CellMapper**



Poor Service Quality Proposed Site

The area in the red circle is what the proposed site impacts.

This area is showing less than in-vehicle and less than indoor service

Ookla AT&T
4G RSRP data


Indoor >= -85 dbm
In-Vehicle >= -95 dbm
On-Street >= -106 dbm



The red circle shows the areas where the carriers are outdoor service.

This area is lacking indoor services and in-vehicle services

# Open Signal AT&T Quality Map



This map show mobiles reporting quality of their connections to the network. This is crowdsource data from AT&T users made available by the OpenSignal App:

https://www.opensignal.com/apps#section-osapp

Green data points show good coverage and red data points show bad coverage and lack of data points show no coverage



ATTACHMENT A

### T-Mobile CellMapper




Poor Service Quality Proposed Site

The area in the red circle is what the proposed site impacts.

This area is showing outdoor and indoor service ATTACHMENT A

Ookla T-Mobile 4G RSRP data

Indoor >= -85 dbm
In-Vehicle >= -95 dbm
On-Street >= -106 dbm



The red circle show the areas where the carriers are outdoor service and no service

This area is lacking indoor and in-vehicle services

# Open Signal T-Mobile Quality Map



This map show mobiles reporting quality of their connections to the network. This is crowdsource data from T-Mobile users made available by the OpenSignal App:

https://www.opensignal.com/apps#section-osapp

Green data points show good coverage and red data points show bad coverage and lack of data points show no coverage



#### WIRELESS NETWORK CONSULTING



### **Emergency Responder P.25 Protocol**

- P.25 is a suite of standards for interop able digital 2-way radio services and products, this standard was created by public safety professionals in North America and has gained worldwide acceptance.
- P.25 allows for higher capacity voice codecs and Time Domain Multiple Access (TDMA)-1.5G technology that allows for higher capacity in the same frequency bandwidth versus that of analog radio's
- P.25 has low speed data capabilities (caller identification/encryption, text messaging etc.) and has broadband network support via LTE networks

## **Emergency Responder Broadband requirements**

- While P.25 provides for data service it is very low throughput
- Updated systems utilized by 1<sup>st</sup> responders require significant amounts of bandwidth that is provided by Commercial Wireless Carriers
- † The following applications require the higher bandwidth data
  - Active 911 dispatches
  - Routing and Mapping through Active 911 (Google/Apple maps embed)
  - (12) lead transmission to hospital to activate cath labs for heart attack victims
  - Emergency patient care reports (ECPR's)
  - 3AM software for tracking personnel and units (required by Department of Homeland Security for Certificate of Necessity)

#### **Staff Feedback**

- † Community events that draw large numbers of attendees have significant increase in capacity needs which causes network to get overloaded
- Staff has made statements about the 4<sup>th</sup> of July event talking about poor quality cell service during that time that is significantly worse than normal
- † This is the negative impact of not having enough capacity in the area
- † This also negatively impacts Emergency responder broadband requirements