

Los Alamos County
Department of Public Utilities

Electric Distribution
Reliability

November, 2025

Dennis G Astley

Acting Deputy Utility Manager
Electric Distribution

<u>Total # Accounts</u>	9045	-
<u>Total Interruptions</u>	24	-
<u>Sum Customer Interruption Durations</u>	13533:56:00	hours:min:sec
<u>#Customers Interrupted</u>	7274.0	
SAIFI	0.80	int./cust.
SAIDI	1:29	hours:min
CAIFI	0.33%	
CAIDI	1:51	hours:min
ASAI	99.3193%	

- **SAIFI - System Average Interruption Frequency Index**
A measure of interruptions per customer (Per Year)

$$\text{SAIFI} = \frac{(\text{Total number of customer interruptions})}{(\text{Total number of customers served})}$$

- **SAIDI – System Average Interruption Duration Index**
A measure of outage time per customer if all customers were out at the same time (hours per year)

$$\text{SAIDI} = \frac{(\text{Sum of all customer outage durations})}{(\text{Total number of customers served})}$$

- **CAIDI – Customer Average Interruption Duration Index**
A measure of the average outage duration per customer (hours per interruption)

$$\text{CAIDI} = \frac{(\text{Sum of all customer outage durations})}{(\text{Total number of customer interruptions})} = \frac{\text{SAIDI}}{\text{SAIFI}}$$

- **ASAI – Average System Availability Index**
A measure of the average service availability (Per unit)
$$\text{ASAI} = \frac{(\text{Service hours available})}{(\text{Customer demand hours})} = \frac{8760 - \text{SAIDI}}{8760}$$

EACH POINT IS A MONTHLY SAIDI HISTORY
60 MINUTES = LACDPU SAIDI BENCHMARK

SAIDI = STANDARD AVERAGE INTERRUPTION DURATION

SAIDI= $\frac{\text{Sum of all customer outage durations}}{\text{(Total number of customers served)}}$

